



ALUMIINIPROFIILI

LUMILINE A SURFACE MOUNTED PROFILE

Lumines A is a surface-mounted profile - for decorative lighting in offices and homes. The small height of this profile and the flat cover (mounted from the top with a snap-on) give the impression of a very discreet fixture for LED strips and tapes. It is perfectly suited for use as an element of decorative backlights in furniture and interior decorations.



LED STRIP WIDTH:

up to 12 mm

COLOR VARIATIONS:

- nonanodized,
- anodized silver,
- anodized black,
- anodized inox,
- lacquered white (RAL9016)

COVERS (diffusers):

- BASIC
 - * transparent (PMMA/PC),
 - * frozen (PMMA/PC),
 - * milky (PMMA/PC),
 - * frosted (PMMA),
 - * milky frosted (PMMA),
 - * lens 15 (PMMA),
 - * lens 30 (PMMA),
 - * black (PMMA)
- HIGH
 - * transparent (PMMA),
 - * frozen (PMMA),
 - * milky (PMMA),
 - * frosted (PMMA),
 - * milky frosted (PMMA),
 - * black (PMMA)

Mounted from the top, snap-on.

END CAPS:

aluminium or plastic caps with or without a hole in 5 color variations (white, black, inox, silver, gray)

MOUNTING CLIPS:

mounting clip A MINI,
mounting clip A,
mounting clip A HIGH,
metal mounting clip A,

angled mounting clip A

OTHER ACCESSORIES:

hinge,
contactless switch,
pendants

Profile is sold in standard lengths: 1000 mm, 2020 mm, 3000 mm.

There is a possibility of cutting the profiles to any



ALUMIINIPROFIILI

LUMILINE A SURFACE MOUNTED PROFILE

Lumines A is a surface-mounted profile - for decorative lighting in offices and homes. The small height of this profile and the flat cover (mounted from the top with a snap-on) give the impression of a very discreet fixture for LED strips and tapes. It is perfectly suited for use as an element of decorative backlights in furniture and interior decorations.



LED STRIP WIDTH:

up to 12 mm

COLOR VARIATIONS:

- nonanodized,
- anodized silver,
- anodized black,
- anodized inox,
- lacquered white (RAL9016)

COVERS (diffusers):

- BASIC
 - * transparent (PMMA/PC),
 - * frozen (PMMA/PC),
 - * milky (PMMA/PC),
 - * frosted (PMMA),
 - * milky frosted (PMMA),
 - * lens 15 (PMMA),
 - * lens 30 (PMMA),
 - * black (PMMA)
- HIGH
 - * transparent (PMMA),
 - * frozen (PMMA),
 - * milky (PMMA),
 - * frosted (PMMA),
 - * milky frosted (PMMA),
 - * black (PMMA)

Mounted from the top, snap-on.



MOUNTING:

two-sided adhesive tape, mounting clip, pendants

PINTA-ASENNETTAVA

LUMI
SOLUTIONS



ALUMIINIIPROFIILI

END CAPS:



aluminium or plastic caps with or without a hole in 5 color variations (white, black, inox, silver, gray)

MOUNTING CLIPS:

mounting clip A MINI,
mounting clip A,
mounting clip A HIGH,
metal mounting clip A,
angled mounting clip A

OTHER ACCESSORIES:

hinge,
contactless switch,
pendants



Profile is sold in standard lengths:
1000 mm, 2020 mm, 3000 mm.
There is a possibility of cutting the
profiles to any size.